

## This Month in the Journal

- 289 Two novel mutations, L490R and V561X, in transferrin receptor 2 in Japanese patients with hemochromatosis  
*Gaetano Bergamaschi*
- 289-290 Telomere length and hTERT expression in patients with acute myeloid leukemia correlates with karyotypic instability  
*Monika Engelhardt, Ralph Wäsch*
- 290 A green tea component, catechin, rapidly induces apoptosis of myeloid leukemic cells via modulation of reactive oxygen species production *in vitro* and inhibits tumor growth *in vivo*  
*Leo Gordon*
- 290-291 Additive effects in the induction of apoptosis in leukemic cells by WT1 and BCR-ABL specific siRNA  
*Francesco Lo Coco*
- 291 Baseline disease risk and response to therapy in chronic myeloid leukemia: necessary predictive tools then and now  
*Michael J. Mauro*
- 292-293 Immunohistochemical profiling of homogeneously treated *de novo* tumors with nodal presentation on tissue micro-arrays  
*Elias Campo, David Y. Mason*
- 293-294 The development of more than one histologic type of lymphoma in the same patient is frequent and confers a worse prognosis  
*Stefano A. Pileri, Pier Paolo Piccaluga, Elena Sabattini, Pier Luigi Zinzani*
- 294-295 Long-term bone marrow culture data is the most powerful predictor for peripheral blood progenitor cell mobilization in healthy donors  
*Arnold Ganser*

## Editorials and Perspectives

- 296-298 Why do humans need two types of transferrin receptor? Lesson from a rare genetic disorder  
*Clara Camaschella*
- 298-301 The future of the anticoagulation clinics: a journey to thrombosis centers?  
*Francesco Marongiu, Doris Barcellona*

## Research Papers

- 302-306 *Disorders of Iron Metabolism*  
Two novel mutations, L490R and V561X, of transferrin receptor 2 gene in Japanese patients with hemochromatosis  
*Chizu Koyama, Shinya Wakusawa, Hisao Hayashi, Rie Suzuki, Motoyoshi Yano, Kentaro Yoshioka, Mitsuo Kozuru, Yoshihiro Takayama, Toshihide Okada, Hiroshi Mabuchi*

- 307-316 *Acute Myeloid Leukemia*  
Telomere length and hTERT expression in patients with acute myeloid leukemia correlate with chromosomal abnormalities  
*Ulrike Hartmann, Tim H. Brümmendorf, Stefan Balabanov, Christian Thiede, Thomas Illme, Markus Schaich*

- 317-325 *Acute Myeloid Leukemia*  
A green tea component, catechin, rapidly induces apoptosis of myeloid leukemic cells via modulation of reactive oxygen species production *in vitro* and inhibits tumor growth *in vivo*  
*Tomonori Nakazato, Keisuke Ito, Yoshitaka Miyakawa, Kentaro Kinjo, Taketo Yamada, Nobumichi Hozumi, Yasuo Ikeda, Masahiro Kizaki*

- 326-334 *Leukemogenesis*  
WT1 and BCR-ABL specific small interfering RNA have additive effects in the induction of apoptosis in leukemic cells  
*Abmet H. Elmaagacli, Michael Koldehoff, Rudolf Peceny, Ludger Klein-Hitpass, Helmut Ottinger, Dietrich W. Beelen, Bertram Opalka*

- 335-340 *Chronic Myeloid Leukemia*  
The impact of the combination between baseline risk group and cytogenetic response on the survival of patients with chronic myeloid leukemia treated with interferon  $\alpha$   
*Joerg Hasford, Markus Pfirrmann, Pat Shephard, Joëlle Guilhot, Rüdiger Hehlmann, François-Xavier Mahon, Hanneke C. Kluin-Nelemans, Kazunori Ohnishi, Juan Luis Steegmann, Josef Thaler*

- 341-347 *Malignant Lymphomas*  
Identification of outcome predictors in diffuse large B-cell lymphoma. Immunohistochemical profiling of homogeneously treated *de novo* tumors with nodal presentation on tissue micro-arrays  
*Pier Luigi Zinzani, Stephan Dirnhofer, Elena Sabattini, Lapo Alinari, Pier Paolo Piccaluga, Vittorio Stefoni, Monica Tani, Gerardo Musuraca, Enrica Marchi, Brunangelo Falini, Michele Baccarani, Stefano A. Pileri*

- 348-352 *Malignant Lymphomas*  
The development of more than one histologic type of lymphoma in the same patient is frequent and confers a worse prognosis  
*Alessandra Tucci, Maddalena Motta, Marco Ungari, Giulia Ruggeri, Claudia Crippa, Erika Borlenghi, Alessandro Ubiali, Fabio Facchetti, Giuseppe Rossi*

- 353-359 *Stem Cell Transplantation*  
Long-term bone marrow culture data are the most powerful predictor of peripheral blood progenitor cell mobilisation in healthy donors  
*Natalia López-Holgado, Carmen Pata, Eva Villarón, Fermín Sánchez-Guijo, Mercedes Alberca, Alejandro Martín, Mercedes Corral, Ignacio Sánchez-Abarca, José Antonio Pérez-Simón, Jesús F. San Miguel, María Consuelo del Cañizo*

## Progress in Hematology

- 360-381 *Hematopoietic Stem Cells*  
Stem cell plasticity: time for a reappraisal?  
*Roberto M. Lemoli, Francesco Bertolini, Ranieri Cancedda, Michele De Luca, Antonio Del Santo, Giuliana Ferrari, Sergio Ferrari, Gianvito Martino, Fulvio Mavilio, Sante Tura*

## Molecular Basis of Disease

- 382-390 *Acute Lymphoblastic leukemia*  
Molecular monitoring of childhood acute lymphoblastic leukemia using antigen receptor gene rearrangements and quantitative polymerase chain reaction technology  
*Gianni Cazzaniga, Andrea Biondi*

## Decision Making and Problem Solving

- 391-399 *Malignant Lymphomas*  
Chronic lymphocytic leukemia: novel prognostic factors and their relevance for risk-adapted therapeutic strategies  
*Marco Montillo, Terry Hamblin, Michael Hallek, Emili Montserrat, Enrica Morra*

## Letters to the Editor

- 400-401 *Hematopoiesis*  
Differential expression of vascular endothelial growth factor and its receptors in hematopoietic and fatty bone marrow: evidence that neuropilin-1 is produced by fat cells  
*Zakia Belaid, Frederique Hubint, Chantal Humblet, Jacques Boniver, Betty Nusgens, Marie-Paule Defresne*

- 401-403 *Red Cell Disorders*  
Decreased plasma endothelin-1 levels in children with sickle cell disease treated with hydroxyurea  
*Claudine Lapoumèroulie, Malika Benkerrou, Marie Hélène Odièvre, Rolande Ducrocq, Manuel Brun, Jacques Elion*

- 403-405 *Molecular Hematopoiesis*  
Changes in expression of *WT1* isoforms during induced differentiation of the NB4 cell line  
*Weiyang Gu, Zixing Chen, Shaoyan Hu, Huiling Shen, Guoqiang Qiu, Xiangshan Cao*

- 405-406 *Chronic Myeloproliferative Disorders*  
Expression of polycythemia rubra vera-1 decreases the dependency of cells on growth factors for proliferation  
*Zakar Mnjoyan, Jun Li, Vahid Afshar-Kharghan*

- 406-408 *Chronic Myeloproliferative Disorders*  
Neutrophil PRV-1 expression in 'classic' and 'atypical' myeloproliferative disorders and laboratory correlates  
*Shireen Sirhan, Terra L. Lasho, Michelle A. Elliott, Ayalew Tefferi*

- 408-410 *Chronic Myeloproliferative Disorders*  
Mutation of the prothrombin gene and thrombotic events in patients with polycythemia vera or essential thrombocythemia: a cohort study  
*Heinz Gisslinger, Marcus Müller, Ingrid Pabinger, Navide Heis-Vahidi-Fard, Bettina Gisslinger, Andrea Brichta, Thomas Bachleitner-Hofmann, Christine Mannhalter*

- 410-412 *Chronic Lymphoproliferative Disorders*  
A pilot study of low-dose subcutaneous alemtuzumab therapy for patients with hemotherapy-refractory chronic lymphocytic leukemia  
*Agostino Cortelezzi, Maria Cristina Pasquini, Barbara Sarina, Giambattista Bertani, Federica Grifoni, Mariangela Colombi, Giorgio Lambertenghi Delilieri*

- 412-413 *Acute Myeloid Leukemia*  
Low-frequency of exon 3 *PTPN11* mutations in adult *de novo* acute myeloid leukemia. Analysis of a consecutive series of 173 patients  
*Josep Nomdedéu, Maria T. Carricondo, Adriana Lasa, Granada Perea, Ana Aventin, Jordi Sierra*

- 413-414 *Acute Myeloid Leukemia*  
Tetraploidy or near tetraploidy clones with double 8;21 translocation: a non-random additional anomaly of acute myeloid leukemia with t(8;21)(q22;q22)  
*Zhijian Xiao, Shihe Liu, Xuping Liu, Minghua Yu, Yushu Hao*

- 414-416 *Acute Lymphoblastic Leukemia*  
The t(12:21) is underrepresented in childhood B-lineage acute lymphoblastic leukemia in Kerala, Southern India  
*Anita Hill, Mike A. Short, Cherian Varghese, Parukutty Kusumakumary, Priya Kumari, Gareth J. Morgan*

- 416-417 *Malignant Lymphomas*  
Family clustering of blood cancers as a risk factor for lymphoid neoplasms  
*Eva Domingo-Domènech, Yolanda Benavente, Tomás Alvaro, Magdalena Hernández, Alberto Fernández de Sevilla, Silvia de Sanjosé*

- 418-419 *Disorders of Hemostasis*  
Homozygosity for a Thr575Met missense mutation in the catalytic domain associated with factor XI deficiency  
*Myrna Germanos-Haddad, Philippe de Moerloose, Françoise Boehlen, Flora Peyvandi, Marguerite Neerman-Arbez*

- 419-421 *Disorders of Hemostasis*  
Plasma soluble fibrin monomer complex is a useful predictor of disseminated intravascular coagulation in neonatal sepsis  
*Tarek E. Selim, Hayam R. Ghoneim, Mohammad T. Khashaba, Sherin A. Rakha*

- 421-423 *Thrombosis*  
Five prothrombotic polymorphisms and the prevalence of premature myocardial infarction  
*Vanessa Roldán, Rocío González-Conejero, Francisco Marín, Javier Pineda, Vicente Vicente, Javier Corral*

- 423-424 *Thrombosis*  
Importance of troponin T for the risk stratification of normotensive patients with pulmonary embolism. A prospective, cohort study with a three-month follow-up  
*Carlo Bova, Francesco Crocco, Roberto Ricchio, Oscar Serafini, Francesco Greco, Alfonso Noto*
- 424-426 *Stem Cell Transplantation*  
Recipient interferon- $\gamma$  3/3 genotype contributes to the development of chronic graft-versus-host disease after allogeneic hematopoietic stem cell transplantation  
*Katarzyna Bogunia-Kubik, Anna Mlynarczewska, Barbara Wysoczanska, Andrzej Lange*
- 426-428 *Stem Cell Transplantation*  
Granulocyte colony-stimulating factor affects serum levels of soluble interleukin-2 receptors after allogeneic stem cell transplantation  
*Mats Remberger, Berit Sundberg*
- 429-430 *Epidemiology*  
Newly diagnosed cases of hematologic malignancies in Sardinia in the early 2000s: an estimation of their number, age and geographic distribution on the basis of a previous epidemiologic survey  
*Giorgio Broccia, Attilio Gabbas, Maurizio Longinotti*

---

### Continuing Medical Education

- 431 Stem cell plasticity: time for a reappraisal?
- 432 Combination between baseline risk group and cytogenetic response on the survival of patients with chronic myeloid leukemia treated with interferon  $\alpha$
- 432 Minimal residual disease in childhood acute lymphoblastic leukemia